



Item number MO9469-03

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material co	Material content							
Part	Component description	Position	Material	Weight Percentage				
1	Decoration ring	Head	Acrylonitrile butadiene styrene (ABS)	2,30%				
2	Led cover	Head	2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	7,67%				
3	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	5,08%				
4	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	6,04%				
5	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	6,62%				
6	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,29%				
7	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,38%				
8	Strings	Inside	Polyester	0,48%				
9	Spring	Inside	Iron	0,77%				
10	Spring	Inside	Iron	0,96%				
11	Battery	Inside	LR41	16,11%				
12	LED	Inside	Semiconductor	2,11%				
13	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	5,08%				
14	Shell	Outside	Acrylonitrile butadiene styrene (ABS)	28,76%				
15	Keyring	Outside	Iron	17,35%				
			Total	100,00%				

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	∟Yes	l⊠No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

amfori ()

Packaging and Transport

_								
P	Piece	Inner Carton	Carton	mo box	Polybag	Packaging		
1		50	1000	-	-	-		

midocean Mrs. P. Varela Buying & Portfoli rector





Item number MO9469-05

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material co	Material content							
Part	Component description	Position	Material	Weight Percentage				
1	Decoration ring	Head	Acrylonitrile butadiene styrene (ABS)	2,30%				
2	Led cover	Head	2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	7,67%				
3	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	5,08%				
4	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	6,04%				
5	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	6,62%				
6	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,29%				
7	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,38%				
8	Strings	Inside	Polyester	0,48%				
9	Spring	Inside	Iron	0,77%				
10	Spring	Inside	Iron	0,96%				
11	Battery	Inside	LR41	16,11%				
12	LED	Inside	Semiconductor	2,11%				
13	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	5,08%				
14	Shell	Outside	Acrylonitrile butadiene styrene (ABS)	28,76%				
15	Keyring	Outside	Iron	17,35%				
			Total	100,00%				

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



	1	1
Recyclability of material	□Yes	⊠No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

amfori ()

Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	50	500	-	-	-

midocean Mrs. P. Varela Buying & Portfoli rector





Item number MO9469-10

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Material co	Material content							
Part	Component description	Position	Material	Weight Percentage				
1	Decoration ring	Head	Acrylonitrile butadiene styrene (ABS)	2,30%				
2	Led cover	Head	2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	7,67%				
3	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	5,08%				
4	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	6,04%				
5	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	6,62%				
6	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,29%				
7	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,38%				
8	Strings	Inside	Polyester	0,48%				
9	Spring	Inside	Iron	0,77%				
10	Spring	Inside	Iron	0,96%				
11	Battery	Inside	LR41	16,11%				
12	LED	Inside	Semiconductor	2,11%				
13	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	5,08%				
14	Shell	Outside	Acrylonitrile butadiene styrene (ABS)	28,76%				
15	Keyring	Outside	Iron	17,35%				
			Total	100,00%				

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



Recyclability of material	∟Yes	l⊠No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

I donaging	aonaging and manoport					
Piece	Inner Carton	Carton	mo box	Polybag	Packaging	
1	50	1000	-	-	-	

midocean Mrs. P. Varela Buying & Portfoli rector



Item number MO9469-14

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Part	Component description	Position	Material	Weight Percentage
1	Decoration ring	Head	Acrylonitrile butadiene styrene (ABS)	2,30%
2	Led cover	Head	2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	7,67%
3	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	5,08%
4	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	6,04%
5	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	6,62%
6	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,29%
7	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,38%
8	Strings	Inside	Polyester	0,48%
9	Spring	Inside	Iron	0,77%
10	Spring	Inside	Iron	0,96%
11	Battery	Inside	LR41	16,11%
12	LED	Inside	Semiconductor	2,11%
13	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	5,08%
14	Shell	Outside	Acrylonitrile butadiene styrene (ABS)	28,76%
15	Keyring	Outside	Iron	17,35%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



	1	1
Recyclability of material	□Yes	⊠No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

amfori ()

Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	50	1000	-	-	-

midocean Mrs. P. Varela Buying & Portfolio rector





Item number MO9469-37

Item description

LED bulb torch in ABS with keyring. 3 AG3 batteries included. The barrel includes a LED light to illuminate the engraved logo.

Part	Component description	Position	Material	Weight Percentage
1	Decoration ring	Head	Acrylonitrile butadiene styrene (ABS)	2,30%
2	Led cover	Head	2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	7,67%
3	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	5,08%
4	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	6,04%
5	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	6,62%
6	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,29%
7	Fixed fittings	Inside	Acrylonitrile butadiene styrene (ABS)	0,38%
8	Strings	Inside	Polyester	0,48%
9	Spring	Inside	Iron	0,77%
10	Spring	Inside	Iron	0,96%
11	Battery	Inside	LR41	16,11%
12	LED	Inside	Semiconductor	2,11%
13	Fixed fittings	Outside	Acrylonitrile butadiene styrene (ABS)	5,08%
14	Shell	Outside	Acrylonitrile butadiene styrene (ABS)	28,76%
15	Keyring	Outside	Iron	17,35%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, <u>ABS</u> , VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather



	1	1
Recyclability of material	□Yes	⊠No

Recycled material	Natural material	Reused waste material
□Yes ⊠No	□Yes ⊠No	□Yes ⊠No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

amfori ()

Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	50	1000	-	-	-

midocean Mrs. P. Varela Buying & Portfolio rector